# **Safety Data Sheet**



Issue Date: 31-Jan-2002 Revision Date: 14-Jan-2025 Version 1

#### 1. IDENTIFICATION

**Product Identifier** 

Product Name Pinpoint Colormetric Hydrocarbon Detection Paint

Other means of identification

SDS # AGC-035 Product Code ODP-110

Other Information Package type: Metal Gallon Can.

Recommended use of the chemical and restrictions on use

**Recommended Use** Detection of Liquid Hydrocarbons.

Details of the supplier of the safety data sheet

Manufacturer Address AMERICAN GAS & CHEMICAL COMPANY, LTD

220 Pegasus Avenue Northvale NJ 07647

**Emergency Telephone Number** 

Company Phone Number Phone: 201-767-7300

Fax: 201-767-1741

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Opaque white suspension Physical State Liquid Odor Odorless

#### Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Calcium Carbonate	471-34-1	15-30
Amorphous silica (glass)	7631-86-9	1-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST-AID MEASURES

**First Aid Measures** 

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact If splashed into the eyes, flush with clear water for 15 minutes or until irritation subsides. If

irritation persists, call physician.

**Skin Contact** In case of contact, wash skin thoroughly with soap and water. Remove any contaminated

clothing and wash before reuse. If skin irritation persists, call a physician.

**Inhalation** Not considered likely. Remove from area.

**Ingestion** If ingested, do not induce vomiting. Call a physician immediately.

Most important symptoms and effects

**Symptoms** May cause eye and skin irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Foam, dry chemical, CO2, water spray or fog.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Product is not flammable or combustible.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool exposed containers with water spray. Avoid breathing vapor or fumes.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all ignition sources. Recover free liquid. Ventilate confined spaces.

For Emergency Responders Follow applicable OSHA regulations (29 CFR 1910.120).

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for Containment** Absorbent such as sand, sawdust, etc. to spill area.

Methods for Clean-Up Sweep up absorbed material and shovel into suitable containers for disposal. Discard any

product, residue, disposable container or liner in full compliance with federal, state, and

Revision Date: 14-Jan-2025

local regulations. For waste disposal, see section 13 of the SDS.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers closed when not in use. Do not handle or store near heat, sparks, flame or

strong oxidants.

**Incompatible Materials**None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate	-	-	TWA: 10 mg/m <sup>3</sup> total dust
471-34-1			TWA: 5 mg/m <sup>3</sup> respirable dust
Amorphous silica (glass)	-	(vacated) TWA: 6 mg/m <sup>3</sup>	IDLH: 3000 mg/m <sup>3</sup>
7631-86-9		<1% Crystalline silica	TWA: 6 mg/m <sup>3</sup>
		TWA: 20 mppcf: (80)/(% SiO2)	_
		mg/m³ TWA	

#### Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Use splash goggles or face shield when contact may occur.

**Skin and Body Protection**Use non-absorbent gloves, if needed, to avoid prolonged or repeated skin contact.

**Respiratory Protection** None required under normal use.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Page 2/5

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date: 14-Jan-2025

## Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** Opaque white suspension Odor Odorless **Odor Threshold** Color Opaque white Not determined

**Property Values** Remarks • Method

7.0-8.0 pН

**Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** 120°C / 248°F

**Flash Point** None

**Evaporation Rate** <1 (Water = 1)

Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined

Vapor Pressure 17.5 mm Hg @68°F (20°C) (Air=1)

Vapor Density >1.0

**Specific Gravity** Not determined **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Density 2.2 g/cm3 at 25 °C (77 °F)

## 10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.

**Chemical Stability** Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing. **Conditions to Avoid** Keep out of reach of children.

**Incompatible Materials** None known based on information supplied. **Hazardous Decomposition Products** None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** May cause temporary irritation on eye contact.

**Skin Contact** Prolonged contact may cause redness and irritation.

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation

hazard.

May cause discomfort if swallowed. Ingestion

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium Carbonate 471-34-1	= 6450 mg/kg (Rat)	-	-
Amorphous silica (glass) 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h

#### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Revision Date: 14-Jan-2025

Chemical Name	ACGIH	IARC	NTP	OSHA
Amorphous silica (glass) 7631-86-9		Group 3		

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

#### 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Amorphous silica (glass)	440: 72 h	5000: 96 h Brachydanio rerio		7600: 48 h Ceriodaphnia
7631-86-9	Pseudokirchneriella	mg/L LC50 static		dubia mg/L EC50
	subcapitata mg/L EC50			

Persistence/DegradabilityNot determined.BioaccumulationNot determined.MobilityNot determinedOther Adverse EffectsNot determined

## 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods** 

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOTNot regulatedIATANot regulatedIMDGNot regulated

# 15. REGULATORY INFORMATION

## **International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

#### **US Federal Regulations**

#### **SARA 313**

Not determined

# **US State Regulations**

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Amorphous silica (glass) 7631-86-9	X	X	X

# **16. OTHER INFORMATION**

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards100Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection100B- Safety Glasses,

Gloves

Revision Date: 14-Jan-2025

Issue Date:31-Jan-2002Revision Date:14-Jan-2025Revision Note:3-Year Update

#### **Disclaimer**

Information in the SDS is provided in good faith, but we assume no liability for its use or misuse. It is furnished without any warranty of merchantability or any other warranty, express or implied. We shall not be liable for any claims, losses or damages of any vendee or third party or for lost profits or any special, indirect, incidental, consequential of exemplary damages, however they arise. Users must make their own investigations to determine suitability.

**End of Safety Data Sheet** 

Page 5 / 5